#### **General**

This form may be used by facilities that operate asphalt processing or asphalt roofing products manufacturing operations (affected sources) to comply with the notification of compliance status requirements in 16.9.10 or 16.9.11 of Regulation 1138. The use of this form is optional. However, other means of notification must contain the information required under 3.9.8.2 of Regulation 1138.

#### **Required Submittal Date**

The owner or operator shall submit a notification of compliance status to the Department (with copy to the U.S Environmental Protection Agency) by the following dates.

- No later than 60 days following the completion of the performance test for affected sources that conducted the performance test on or after December 2, 2010.
- No later than May 30, 2011 for existing sources, if the owner or operator is using the results from a previously-conducted (before December 2, 2010) performance test to demonstrate initial compliance.
- No later than 240 days following startup or December 11, 2010 for new or reconstructed sources, whichever is later, if the owner or operator is using the results from a previously-conducted (before December 2, 2010) performance test to demonstrate initial compliance.

The addresses for this submittal are provided below and in Item 13 of the "Notification of Compliance Status" form.

#### Items 1

Provide the name of the affected asphalt processing or asphalt roofing products manufacturing operation.

#### Items 2

Provide the physical location of the affected asphalt processing or asphalt roofing products manufacturing operation.

#### Items 3

Provide the name of the owner or operator of the affected asphalt processing or asphalt roofing products manufacturing operation identified in Items 1 and 2.

#### Item 4

Identify which EPA methods were used (circling the applicable methods) during the performance tests to determine initial compliance with the emission limitations of Section 16. If other methods were used during the performance test, identify those methods under "Other methods used".

(Continued)

#### Item 5

Identify (checking the appropriate box) whether polycyclic aromatic hydrocarbons (PAHs) or particulate matter (PM) was measured during the performance test. PM is a surrogate for PAHs.

Using the performance test results, calculate and provide in the applicable reporting table of Item 5 either (1) the quantity of PAH emissions or (2) the quantity of PM emissions from each emission point subject to the requirements of Section 16. The quantities of the emissions must be provided in the units given in the reporting tables of Item 5.

Additionally, identify the type of asphalt roofing products manufacturing operation associated with each applicable emission point. In the column provided, indicate a coater-only type of operation with a "C", a saturator-only type of operation with an "S", or a type of combined coater and saturator operation with a "CS".

If the number of emission points exceeds the available rows in the reporting tables of Item 5, continue on blank paper and attached to the "Notification of Compliance Status" form. **Alternatively,** if the total number of emission points exceeds the available rows, all emission point information may be reported on a separated document and attached to the "Notification of Compliance Status" form.

#### Item 6

If the owner or operator uses a control device to comply with the emission limitations of Section 16, provide a description of the air pollution control equipment for each applicable emission point in the reporting table of Item 6. The description should include, at minimum,

- A physical description of the control device,
- The value or range of values for the control system parameter(s) that define compliant operation, and
- The control efficiency of the air pollution control equipment, if known, or indicate that the control efficiency is unknown.

If the owner or operator <u>does not use</u> a control device to comply with the emission limitations of Section 16, provide a description of the process operating condition for each applicable emission point in the reporting table of Item 6. The description should include, at minimum,

- A description of site-specific process operating condition(s).
- The value or range of values for the operating parameter(s) that defines compliant operation, and
- The control efficiency of the compliant process condition(s), if known, or indicate that the control efficiency is unknown.

#### Item 7

Provide a description of the methods that will be used to determine continuous compliance for each of the emission points in the reporting table of Item 7. The description should include, at minimum,

(Continued)

#### **Item 7 - Continued**

- A description of the monitoring equipment,
- A description of the data recording equipment,
- A description of the data reduction methodology for compliance assessment and deviation reporting purposes, and
- Any test methods associated with the continuous parameter monitoring system.

#### Item 8

Indicate (checking the appropriate box) whether the performance test results used to demonstrate initial compliance with Section 16 of Regulation 1138 were based on previously-conducted performance tests or performance testing conducted on or after the December 2, 2010.

#### Item 9

If results from a previously-conducted performance test were used to demonstrate initial compliance with Section 16 (e.g. "Yes" was check in Item 8), the owner or operator must answer (checking the appropriate boxes) the four questions in Item 9. The response to these four questions would be used to certify that the use of the previously-conducted performance test results was appropriate.

#### <u>Item 10</u>

The owner or operator shall certify (checking the box) that the source has complied with all applicable requirements of Section 16 of Regulation 1138. If the owner or operator certified (e.g. checked the box) that the source has complied with all applicable requirements of Section 16, the owner or operator can skip Item 14 on Page 5.

If the owner or operator is unable to certify that the source has complied with all applicable requirements at the time the notification of compliance status must be submitted, the owner or operator would not check the box in Item 10. Instead, the owner or operator would complete Item 14 on Page 5 of the "Notification of Compliance Status" form and include Page 5 in the submittal.

#### <u>Item 11</u>

A responsible person, as defined in 3.2 of Regulation 1138, must certify that the statements and information contained in the notification of compliance status are true, accurate, and complete. The responsible person must also sign the "Notification of Compliance Status" form and provide the information requested.

(Continued)

#### <u>Item 12</u>

Include the following with the "Notification of Compliance Status" form submittal:

- The performance test results,
- The continuous parameter monitoring system performance evaluation results, and
- The results of other monitoring procedures or methods that were conducted in order to demonstrate initial compliance with Section 16.

#### <u>Item 13</u>

The owner or operator must submit the completed "Notification of Compliance Status" form to the Department of Natural Resources and Environmental Control (with a copy to the U.S. Environmental Protection Agency) at the addresses provided below and in Item 13 of the form. The owner or operator should keep a copy of the completed form.

#### Submit the Notification of Compliance Status to the following addresses

Delaware Department of Natural Resources and Environmental Control Director of Air Quality Blue Hen Corporate Center 655 S. Bay Road Suite 5N Dover, DE 19901 U. S. Environmental Protection Agency Director, Air Protection Division 1650 Arch Street Philadelphia, PA 19103

#### Item 14

If the affected asphalt processing or asphalt roofing products manufacturing operation is not in compliance with the applicable requirements of Section 16 of Regulation 1138 at the time of submitting the notification of compliance status, the owner or operator must provide a complete explanation of the noncompliance, the corrective actions being undertaken to bring the asphalt processing or asphalt roofing products manufacturing operation into compliance, and the expected date that compliance will be demonstrated. Space for this information is provided in Item 14 on page 5 of the form. The owner or operator should use and attach additional paper, if additional space is needed.

## **Regulation 1138 – Section 16**

# **Emission Standards for Area Source Asphalt Processing and Asphalt Roofing Products Manufacturing Operations**

submitted no later than 60 da conducted prior to December the instructions for the use of							e inst	ructions
Name of the facility:	the Notification of	1 Compilance Status	101111,	see pag	<u>,c 1 01</u>	7 OI ti	ic mst	detions.
Physical location – Street Address:								
City, State, Zip Code:								
37 7 1								
Name of Owner or Operator:								
Identify the methods from Appendix	A of 40 CFR Part 6	60 that were used to	detern	nine in	itial c	omplia	ance.	
			Circle	e the a	pplica	ble me	ethods	used
• To select the sampling locations a	and the number of tra	averse points	1	1A				
• To determine the velocity and vo	lumetric flow rate		2	2A	2C	2D	2F	2G
<ul> <li>To determine the gas molecular v</li> </ul>	weight used for flow	rate determination	3	3A	3B			
• To measure the moisture content	of the stack gas		4					
• To measure the PM emissions			5A					
<ul> <li>To measure the PAH emissions</li> </ul>			23					
Identify the types and quantity of haz products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring	he results used to de	etermine compliance	based o	n meas	Ü			J
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring	he results used to de	etermine compliance PM), as a surrogate for x below  Measured	based of PAH	n meas s? a surro	suring	polycy	velic aı	romatic
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring	he results used to de particulate matter (l	etermine compliance PM), as a surrogate for the street Measured  Lbs / ton of	based of PAH PM, as	n meas s? a surro	suring	polycy	velic an	romatic still
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring  C  Asphalt processing emission points	he results used to de particulate matter (l	etermine compliance PM), as a surrogate for x below  Measured	based of PAH PM, as	n meas s? a surro	suring	polycy	velic aı	romatic still
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring  C  Asphalt processing emission points  AP emission point #1	he results used to de particulate matter (l	etermine compliance PM), as a surrogate for the street Measured  Lbs / ton of	based of PAH PM, as	n meas s? a surro	suring	polycy	velic an	romatic still
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring  Comparison  Asphalt processing emission points  AP emission point #1  AP emission point #2	he results used to de particulate matter (l	etermine compliance PM), as a surrogate for the street Measured  Lbs / ton of	based of PAH PM, as	n meas s? a surro	suring	polycy	velic an	romatic still
products manufacturing operations.  During the performance testing, were thydrocarbons (PAHs) or on measuring  C  Asphalt processing emission points  AP emission point #1	he results used to de particulate matter (l	etermine compliance PM), as a surrogate for the street Measured  Lbs / ton of	based of PAH PM, as	n meas s? a surro	suring	polycy	velic an	romatic still
Asphalt processing emission points  AP emission point #2  AP emission point #3  Asphalt roofing products	he results used to de particulate matter (leck applicable box Measured PAHs	etermine compliance PM), as a surrogate for the	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing I emis	still sions
Asphalt processing emission points  AP emission point #2  Asphalt roofing products manufacturing operations.  During the performance testing, were the hydrocarbons (PAHs) or on measuring and the processing emission points.  Asphalt processing emission points.  AP emission point #3  Asphalt roofing products manufacturing emission points.	he results used to de particulate matter (l	etermine compliance PM), as a surrogate f  x below  Measured  Lbs / ton of  PAH emission	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing	still sions
Asphalt processing emission points  AP emission point #2  Asphalt roofing products manufacturing emission points  Asphalt roofing products manufacturing emission points  RP emission point #1	he results used to de particulate matter (I heck applicable box Measured PAHs  Type of A	etermine compliance PM), as a surrogate for the	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing I emis	still sions
Asphalt processing emission points AP emission point #2 Asphalt roofing products manufacturing emission points AP emission point #3  Asphalt roofing products manufacturing emission points RP emission point #1 RP emission point #2	he results used to de particulate matter (I heck applicable box Measured PAHs  Type of A	etermine compliance PM), as a surrogate for the	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing I emis	still sions
Asphalt processing emission points  Asphalt processing emission points  AP emission point #1  AP emission point #3  Asphalt roofing products manufacturing emission points  RP emission point #1  RP emission point #1  RP emission point #2  RP emission point #3	he results used to de particulate matter (I heck applicable box Measured PAHs  Type of A	etermine compliance PM), as a surrogate for the	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing I emis	still sions
Asphalt processing emission points AP emission point #2 Asphalt roofing products manufacturing emission points AP emission point #3  Asphalt roofing products manufacturing emission points RP emission point #1 RP emission point #2	he results used to de particulate matter (I heck applicable box Measured PAHs  Type of A	etermine compliance PM), as a surrogate for the	based of PAH PM, as Casphal ons	n meas s? a surro	gate	the bl PM	owing I emis	still sions

## **Regulation 1138 – Section 16**

**Emission Standards for Area Source Asphalt Processing and Asphalt Roofing Products Manufacturing Operations** 

[6] Provide a description of the air pollution control equipment (or process conditions) for each emission point, including each control device (or process conditions) for polycyclic aromatic hydrocarbons (or its surrogate particulate matter) and the control efficiency (percent) for each control device (or process condition).

Emission points	Description of the air pollution control equipment (or process conditions, if a control device is not required)	Control <u>Efficiency, %</u>
AP emission point #1		
AP emission point #2		
AP emission point #3		
RP emission point #1		
RP emission point #2		
RP emission point #3		
RP emission point #4		
RP emission point #5		

### **Regulation 1138 – Section 16**

**Emission Standards for Area Source Asphalt Processing and Asphalt Roofing Products Manufacturing Operations** 

Name	٥f	the	fac	·ilit	v:
Manne	UΙ	unc	ıav	ıπι	٧.

[7] Describe the methods that will be used for determining continuing compliance for each emission point, including a description of the monitoring requirements, the reporting requirements, and the test methods.

Emission points	Description of monitoring requirements, the reporting requirements, and the test methods that will be used to determine continuing compliance
AP emission point #1	and the test methods that will be used to determine continuing comphance
AP emission point #1	
AP emission point #2	
AP emission point #3	
RP emission point #1	
•	
RP emission point #2	
1	
RP emission point #3	
ra emission point #3	
RP emission point #4	
Ta chinssion point ii	
RP emission point #5	
α chiission point π3	

## **Regulation 1138 – Section 16**

Emission Standards for Area Source Asphalt Processing and Asphalt Roofing Products Manufacturing Operations

[8]	Was the performance test, upon which the determine December 2, 2010?	nation of initial compliance was made, cond	ducted prior t	to		
	Check applica	ble box below				
	Yes, before 12					
[9]	If "Yes" is checked in Item 8 above, the owner or o		If "No" is che	ecked in Item		
	8, the owner or operator skips Item 9 and proceeds	to Item 10.				
			Check, as ap			
	Indicate with a check mark the answer to the follo		Yes	<u>No</u>		
	Was the previous performance test conducted within	3				
	Have any changes been made to the process since the					
	Did the operating conditions, test methods, and test p performance test conform to the requirements of 3.7,					
	Was the data used to establish the value or range of v					
	parameters, as specified in 16.6.1, 16.6.2, 16.6.4, 16.6					
	recorded during the previous performance test?	-				
[10]	The owner or operator shall certify compliance wit	h Section 16 of Regulation 1138 by checkin	ng the box of t	the following		
	compliance statement, if appropriate.					
	I the owner or operator certify that the sour	rce has complied with all applicable requirem	ents of Section	n 16 of		
	Regulation 1138.	and the companies with an appropriate requirement				
	If the sum on an arranton count countific committees	ith all ampliable manifestants of Coation	16 of Docul	-4: 1120		
		If the owner or operator cannot certify compliance with all applicable requirements of Section 16 of Regulation 1138 above, the owner or operator provides the information needed in Item 14 on Page 5.				
		tion needed in Item 14 on Page 5				
F1.13	* *	-				
[11]	I certify that all the statements and information co	-	ate, and comp	plete.		
[11]	* *	-	ate, and comp	plete.		
[11]	I certify that all the statements and information co	-	•	plete.		
	I certify that all the statements and information co	ontained in this notification are true, accur	•	plete.		
	I certify that all the statements and information concerning the Printed Name:  Title/Position: Email Address:	Telephone No:	•	plete.		
	I certify that all the statements and information co	Telephone No:	•	plete.		
	I certify that all the statements and information concerning the statement and information concerning the statements and information concerning the statements and information concerning the statement and inf	Telephone No:  Date:				
	I certify that all the statements and information concerning to the statement to	Telephone No:  Date:	he perform	nance		
	I certify that all the statements and information con Printed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evaluation.	the perform	nance		
	I certify that all the statements and information con Printed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring pro-	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evalued cedures or methods that were conductive to the conductive	the perform	nance		
[12]	I certify that all the statements and information concentrated Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring producemonstrate initial compliance with Section	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evalued cedures or methods that were condum 16.	the perform luation resu	nance ults, ler to		
	I certify that all the statements and information con Printed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring producements and initial compliance with Section The owner or operator must submit this "Notifical Compliance with Section The owner or operator must submit this "Notifical Compliance with Section The owner or operator must submit this "Notifical Compliance with Section The Owner or operator must submit this "Notifical Compliance with Section The Owner or operator must submit this "Notifical Compliance with Section The Owner or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Operator must submit this "Notifical Compliance with Section The Owner Operator with Section The Owner Operator with	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evalued cedures or methods that were condum 16.  tion of Compliance Status" form with attaction of Compliance Status form with attaction of Compliance S	the perform luation resu ucted in ord	nance ults, ler to		
[12]	I certify that all the statements and information concentrated Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring producemonstrate initial compliance with Section	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evalued cedures or methods that were condum 16.  tion of Compliance Status" form with attaction of Compliance Status form with attaction of Compliance S	the perform luation resu ucted in ord	nance ults, ler to		
[12]	I certify that all the statements and information con Printed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring producements and initial compliance with Section The owner or operator must submit this "Notifical Compliance with Section The owner or operator must submit this "Notifical Compliance with Section The owner or operator must submit this "Notifical Compliance with Section The Owner or operator must submit this "Notifical Compliance with Section The Owner or operator must submit this "Notifical Compliance with Section The Owner or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Or Operator must submit this "Notifical Compliance with Section The Owner Operator must submit this "Notifical Compliance with Section The Owner Operator with Section The Owner Operator with	Telephone No:  Date:  on of Compliance Status" form, (1) to monitoring system performance evalued cedures or methods that were condum 16.  tion of Compliance Status" form with attaction of Compliance Status form with attaction of Compliance S	the perform luation resu ucted in ord	nance ults, ler to		
[12]	I certify that all the statements and information contributed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring produmonstrate initial compliance with Section The owner or operator must submit this "Notification agencies by the submittal date provided on page 1  Delaware Department of Natural Resources and Environmental Control	Telephone No:  Date:  Date:  on of Compliance Status" form, (1) to monitoring system performance evaluated and the cedures or methods that were condum 16.  tion of Compliance Status" form with attacof this form.  Remember to keep a copy	the perform luation resu ucted in ord chments to th of this notific	nance ults, der to e following ation.		
[12]	I certify that all the statements and information contributed Name:  Title/Position: Email Address: Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring produmonstrate initial compliance with Section The owner or operator must submit this "Notification agencies by the submittal date provided on page 1  Delaware Department of Natural Resources and Environmental Control Director of Air Quality	Telephone No:  Date:  Date:  On of Compliance Status" form, (1) to monitoring system performance evaluated cedures or methods that were condum 16.  tion of Compliance Status" form with attaction of this form.  Remember to keep a copy  U. S. Environmental Properties.	che perform luation resu ucted in ord chments to th of this notifica	nance ults, der to e following ation.		
[12]	I certify that all the statements and information contributed Name:  Title/Position: Email Address:  Signature:  ATTACH the following to this "Notification test results, (2) the continuous parameter in and (3) the results of other monitoring produmonstrate initial compliance with Section The owner or operator must submit this "Notification agencies by the submittal date provided on page 1  Delaware Department of Natural Resources and Environmental Control	Telephone No:  Date:  Date:  on of Compliance Status" form, (1) to monitoring system performance evaluated and the cedures or methods that were condum 16.  tion of Compliance Status" form with attacof this form.  Remember to keep a copy	che perform luation resu ucted in ord chments to th of this notifica	nance ults, der to e following ation.		

## **Regulation 1138 – Section 16**

**Emission Standards for Area Source Asphalt Processing and Asphalt Roofing Products Manufacturing Operations** 

Name of the facility:			
[14]	If the owner or operator did not certify initial compliance with all applicable requirements of Section 16 in Item 10, provide a complete explanation of the noncompliance, a description of the corrective actions being taken to achieve compliance, and the expected date for achieving compliant operation.		